

TABLEAU 2 - LONGUEURS

TABLE 2 - LENGTHS

CODE LONGUEUR LENGTH CODE	L ± 0,3	CODE DIAMETRE DIAMETER CODE			
		048	064	079	095
111	11,1				
127	12,7				
143	14,3				
159	15,9			COTE	
175	17,5			E	
191	19,1				
206	20,6		APPLICABLE		
222	22,2				
238	23,8				
254	25,4		COTE		
270	27,0			T	
286	28,6				
302	30,2		APPLICABLE		
318	31,8				
333	33,3				
349	34,9				
365	36,5				
381	38,1				
397	39,7				
413	41,3				

NOTES

1 - MATERIAUX

- Goujon : NC 19 Fe Nb (INCONEL 718) suivant AMS 5662
Résistance 1240 MPA MINIMUM

- Bague : Acier inoxydable Z 10 CNF 18.09 suivant
NFA 35576

2 - PROTECTION : Passivation suivant QQ.P.35

3 - LUBRIFICATION : sANS

4 - FILETAGE A et B : Conforme MIL-S-8879

5 - FILETAGE B : peut être en contact avec la bague de
verrouillage.

6 - FILETS INCOMPLETS : 2 pas maximum

7 - Cotes C,E,H et L mesurées lorsque la bague de
verrouillage est en butée côté écrou

8 - MARQUAGE : conforme à Pr EN 2424

- Code matériau A
- Monogramme fabricant T ou F

9 - Cotes E ou T appliquées en fonction de L suivant tableau 2

10 - ETAT DE SURFACE : Ra 3,2 µm

11 - SPECIFICATION D'APPROVISIONNEMENT :
MIL-S-45909

12 - DESIGNATION CODIFIEE :

EXEMPLE :
EXAMPLE:

NOTES

1 - MATERIALS

- Stud : INCONEL 718 per AMS 5662
Strength level class 1240 Mpa minimum (180,000 PSI)

- Lock ring serrated : Stainless steel Z 10 CNF 18-09
PER NFA 35576

2 - FINISH : Passivated per QQ.P.35

3 - LUBRICATION : None

4 - THREAD A et B : According to MIL.S.8879

5 - THREAD B : May contact knurl to captivate lock ring

6 - IMCOMPLETE THREADS : 2 pitches maximum

7 - Dimensions C,E,H and L apply when lock ring is abutting
against nut end side

8 - MARKING : In accordance with Pr EN 2424

- Nut end side : Material code per A
- Manufacturer's symbol T or F

9 - Dimensions E or T used in accordance with length L per
table 2

10 - SURFACE TEXTURE : Ra 3,2 µm

11 - PROCUREMENT SPECIFICATION : MIL-S-45909

12 - PART NUMBER DESIGNATION :

GOUJON
STUD

SC G107

—

064

159

Code longueur L (tableau 2)
Length code L (table 2)

Code diamètre A (tableau 1)
Diameter code A (table 1)

Numéro standard de base
Basic part number

Appellation
Part name

REV.

Date : 22.09.93

Indice : D

CODE : SCG 107

PAGE : 3/4

